

EL2310 – Scientific Programming

Lecture 10: Pointers and Structures



Yasemin Bekiroglu
(yaseminb@kth.se)

Royal Institute of Technology – KTH

Overview

Lecture 10: Pointers and Structures

Wrap Up


Pointers Continued

Function Pointers

Constant variables and structs

Pointers and Structs

C Tasks



Today

- ▶ Even more on pointers
- ▶ Complex data types (`struct`)



Pointers

- ▶ Pointers are special kinds of variables
- ▶ They contain the address of another variable
- ▶ Pointers are like bookmarks
- ▶ Used heavily in C:
 - ▷ To pass reference to big things in memory
 - ▷ To return multiple values from functions
- ▶ Have to be used with care

Copying pointers

- ▶ Copying the data
`*ptr1 = *ptr2;`
- ▶ Copying the pointer address
`ptr1 = ptr2;`

Makefiles

- ▶ **MAKE** tool to automate building, ex. compilation
- ▶ Rules from Makefile
- ▶ `task1:`
`gcc -o task1 task1.c task1_includes.c -lm`
- ▶ Tutorial in the course materials! Check out tasks!



Lecture 10: Pointers and Structures

Wrap Up

Pointers Continued

Function Pointers

Constant variables and structs

Pointers and Structs

C Tasks



Pointers and arrays

- ▶ Can use pointer to perform operations on arrays

- ▶ Ex:

```
int a[] = {1, 2, 3, 4, 5, 6, 7, 8};  
int *p = &a[0];
```

- ▶ Will create a pointer that points to the first element of `a`
- ▶ The following are equivalent

```
p = &a[0] and p = a;  
a[i] and *(a+i)  
&a[i] and a+i  
*(p+i) and p[i]  
fcn(int *a) and fcn(int a[])
```




Stepping forward backward with pointers

- ▶ A pointer points to the address of a variable of the given data type
- ▶ If you say `ptr = ptr + 1;` you step to the next variable in memory assuming that they are all lined up next to each other
- ▶ Can also use shorthand `ptr++` and `ptr--` as well as `ptr+=2;` and `ptr-=3;`



More on pointers

- ▶ One has to be careful when moving pointers
- ▶ Common mistake when using a pointer: you move it outside the memory space you intended and change unexpected things

- ▶ The following is allowed but make it hard to read

```
int a[] = {6, 5, 4, 3, 2, 1};  
int *p = &a[2];  
p[-2] = 2;
```

- ▶ What value will change?



Constant strings

- ▶ The “Hello world” in `printf("Hello world");` is a constant string literal
- ▶ It cannot be changed
- ▶ Consider the two expressions

```
char amsg[] = "Hello world";  
char *pmsg = "Hello world";
```
- ▶ `amsg` is a character array initialized to “Hello world”. You can modify the content of the array since it contains a copy of the string literal.
- ▶ `pmsg` is a pointer that points to a constant string directly. You cannot change the character in the string but change what `pmsg` points to.

Task 1

- ▶ Write the function

```
void strcpy2(char *dest, char *src);
```

- ▶ Should copy the string `src` into `dest`



Pointers to pointers

- ▶ Can have pointers to pointer
- ▶ “Address of the address to the value”
- ▶ Notation similar
- ▶

```
int a;  
int *p = &a;  
int **pp = &p;
```
- ▶ Example use: Change address of pointer in function
- ▶ Dereferencing:
 - ▷ `*pp` to get pointer to `a`
 - ▷ `**pp` to get value of `a`



Arrays of pointers

- ▶ Can also make arrays of pointers like any other data type
- ▶ Ex: `char *sa[100];` array of 100 C strings
- ▶ Ex: `int *ia[100];` array of 100 `int` pointers



void pointer

- ▶ Normal pointers point to a certain type like `int`
- ▶ The `void` pointer (`void*`) represents a general pointer that can point to anything
- ▶ You can assign to and from a `void *` without a problem
- ▶ You can not dereference a `void*`
- ▶ The `void` pointer allows you to write code that can work with addresses to any data type

void pointer cont'd

▶ NOT ALLOWED

```
int a = 4;  
void *b = &a;  
*b = 2;
```

▶ ALLOWED

```
int a = 4;  
void *b = &a;  
int *c = b; *c = 2;
```




NULL

- ▶ Bad idea to leave variables uninitialized
- ▶ This is true for pointers as well
- ▶ To mark that a pointer is not assigned and give it a well defined value we use the `NULL` pointer.

- ▶ Ex:

```
int *p = NULL;
```

```
...
```

```
if (p != NULL) *p = 4;
```

- ▶ Testing if not `NULL` before using a pointer is good practice (and setting it to `NULL` when unassigned)



Selective computations

- ▶ Using the `NULL` pointer we can tell a function parameters need not be calculated
- ▶ Ex: `void calc(double x, double *v1, double *v2);`
- ▶ If we call this method with `v1` or `v2` `NULL` the function can choose not to perform certain calculations

Lecture 10: Pointers and Structures

Wrap Up

Pointers Continued

Function Pointers

Constant variables and structs

Pointers and Structs

C Tasks

Pointer to functions

- ▶ Just like in Matlab you can work with pointers to functions
- ▶ In C you need to declare explicitly what the argument the function has as input and output
- ▶ Ex: Pointer (`fcn`) to a function that returns an `int` and takes a `double` as argument
`int (*fcn)(double)`

Arrays of pointers to functions

- ▶ Can store arrays of function pointers
- ▶ To declare an array `pf` of 4 pointers to functions we do
`double (*pf[4])(double);`
- ▶ You assign values by
`pf[0] = &fcn1;`
- ▶ and you use them as
`pf[0](4.2);`



Lecture 10: Pointers and Structures

Wrap Up

Pointers Continued

Function Pointers

Constant variables and structs

Pointers and Structs

C Tasks

const

- ▶ If you want to make sure that a variable is not changed you can use the `const` keyword
- ▶ Ex: `const double pi = 3.1415;`


struct

- ▶ So far we looked at basic data types and pointers
- ▶ It is possible to define your own types
- ▶ For this we use a `struct`

- ▶ Ex:

```
struct complex_number {  
    double real;  
    double imag;  
};
```

- ▶ The variables `real` and `imag` are called *members* of the `struct complex_number`.
- ▶ Declaring variables `x, y` of type `complex_number` is done with `struct complex_number x, y;`



Lecture 10: Pointers and Structures

Wrap Up


Pointers Continued

Function Pointers

Constant variables and structs

Pointers and Structs

C Tasks



Pointers and structures

- ▶ You can use pointers to structures

- ▶ Ex:

```
struct complex_number x;  
struct complex_number *xptr = &x;
```

- ▶ To access a member using a pointer we use the “->” operator

- ▶ Ex: `xptr->real = 2;`

- ▶ This is the same as `x.real = 2;`



Lecture 10: Pointers and Structures

Wrap Up


Pointers Continued

Function Pointers

Constant variables and structs

Pointers and Structs


C Tasks




Task 2

- ▶ Illustrate what happens in the following case

```
int *pi, i, j, *q = NULL;
i = 10;
pi = &i;
j = *pi;
(*pi)++;
q = pi;
```



Task 2 cont'd




Task 3

Write a program which accesses the functions,

- ▶ `int add(int x,int y){return x+y}`
- ▶ `int mul(int x,int y){return x*y}`

using function pointers



Task 4

- ▶ Rewrite the Newton function so that it can take a function pointer instead
- ▶ This makes it easier to switch functions




Task 5

- ▶ Write a program with several functions, all with the same interface
- ▶ Create an array of pointers to these functions
- ▶ Loop through the pointers and call the functions

Task 6

Assign any integer to the closest in the set: { 0, 3, 6, 10 }



- ▶ Use the above decision tree structure.
- ▶ If greater or equal than the node value, follow right, otherwise, follow left